## Wire Mesh FENCE & GATES

ITEM	NO.	DESCRIPTION	QTY.	UNIT	RATE	AMOUNT
1.0	1.1	Welded Mesh Fence Perimeter Fence &Gates Generaly Welded Mesh Fence Perimeter Fence & Gates Generally, Fabrication & Installation of welded mesh fencing includes excavation, reinforced concrete footings, steel posts, angle bars, wire mesh, barbed wire, etc., all in accordance with the specifications and as shown on the approved shop drawing details.	7100	m		
	1. 2		7000	m		
2. 0		Welded mesh Gates				
		Fabrication &Installation of Welded Mesh Gates, allin accordance with the specification and as shown on Drawing per approved shop drawing details.				
		Midal Siding Gate:2400mm high X8500mm wide				
	2. 1	Emergency Gate: 3000mm high X6150mm wide	1			
	2. 2	North Gate:3000mm high X11825mm wide	1			
	2.3	West Gate :as shown	1			
	2.4	west date .as shown	1			
3. 0		Full Turnstile all in accordance with the spec's				
		and as shownon Drwgs. Nos, as per approved				
		Shop Drawings				
	3. 1	Main Gate 2.44 Hx1.44 Wx1.44 D	4			
	3. 2	South Gate 2.44 Hx1.44 Wx1.44 D	2			
	3.3	Caldiner Gate 2.44 Hx1.44 Wx1.44 D	1			

## Wire Mesh FENCE &GATES

ITEM	NQ.	DESCRIPTION	QTY.	UNTT	RATE	AMOUM7
		CALCTNER				
3. 0		Welded Mesh Fence				
		Demolition of Existing Perimeter Fence & Gates including carting away				
	3. 1	Generally,	980	m		
		Fabrication & Installation of welded mesh fence includes excavation, reinforced concrete footings, steel posts, angle bars, wire mesh, barbed wire, etc., all in accordance with the specifications and as shown on the drawings per approved shop drawing details. Generally				
	3. 2	Welded mesh Gates	2110	m		
4. 0		Fabrication &Installation of Welded Mesh Gates, all in accordance with the specification and as shown on Drawing Nos, or as specified in the schedule ;or as per approved shop drawing details.				
		OTHER TTEMS				
	4. 1 4. 2 4. 3	Allow for dearing or temporary relocation of all obstructions/structures during the construction of the fence and making good all disturbed or damaged structures incuding restroration to original condition to the Supervising Officers satisfaction and approval.				
	4. 4	Generally				
	4. 5	Allow for Electrical Motor installation including wiring and accessories for sliding gate, item 2.1				
	4.6	Generally				
	4.7	Allow for removal of existing Electric Motor, wiring and accessories for existing sliding gate.				